TORO PUMPS

VACUUM ASSISTED

INSTANT PRIME PUMPS®

Engineered by HCP Pumps SA

High Head, High Flow Mining Pumps

Driven by an electric motor or diesel engine

Custom designed and build Trailer, skid or pontoon versions




Engineered by HCP Pumps SA


H SERIES - HIGH HEAD PUMPS

Driven by electric motor or diesel engine
Up to 250m and between 200m3/hr - 2400m3/hr





The High Head pumps in the range offer discharge pressures of up to 25 Bar (250m) These pumps are used in demanding construction, municipal and mining applications. Available on open or closed sound attenuated skid bases with the option of mounting it on a site or road worthy trailer. The H30022 pump has an impressive 230m head while comfortably passing (3"/ 980mm) solids.




TORO PUMPS


M SERIES MEDIUM HEAD PUMPS

Driven by electric motor or diesel engine Up to 120m Head and flow rates between 200m3/hr - 2000m3/hr





The Medium Head pumps in the range offer discharge pressures of up to 14 Bar (140m) These multi-functional pumps are commonly used in rental, construction, municipal and mining applications. Available on open or closed sound attenuated skid bases with the option of mounting it on a site or road worthy trailer.





TORO PUMPS
VACUUM ASSISTED


L SERIES HIGH FLOW PUMPS

Driven by electric motor or diesel engine up to 75m Head and flow between 200m3/hr and 14000m3/hr






Within the L-Series we carry a range of pumps specially designed for High Flow applications. These pumps commonly find their use in sewer by-pass, flood control or irrigation applications. Available on open or closed sound attenuated skid bases with the option of mounting it on a site or roadworthy trailer. These pumps combine excellent solids handling capabilities up to 10" (250mm) with high efficiency and exceptional flow capabilities up to 14 000m3/hr.




TORO PUMPS
VACUUM ASSISTED

CUSTOM BUILD PUMP SETS

Driven by electric motor or diesel engine



We customize the full range of TORO auto-prime dewatering pump sets. We design and fabricate units geared towards the specialist needs one encounters in the mining sector. With discharge pressures exceeding 25 Bar (250m) and flow rates in excess of 14 000m3/hr we can solve the most challenging applications. Made of hard-wearing materials and offering sufficient solids handling capabilities, these pumps arethe best choice for the mining and construction sector. We employ Ductile iron castings as standard with the option of Stainless steel or Duplex stainless steel where needed."









"We offer solutions"

HCP Pumps SA

Tel: +27 (0) 11 452 8116/7/9 | **Email:** info@hcppumps.co.za
33 Mopedi Road, Sebenza, Edenvale, 1609, Johannesburg, South Africa.

www.hcppumps.co.za